




NOTES

1. FOR CENTER LINE DIMENSIONS REFER ARCH. DRG. NO. 4 JOB 138.
2. SUITABLE D.P.C. MAY BE PROVIDED AT SITE.
3. STR. SIZES AS SHOWN IN THIS DRG. SHOULD BE ADOPTED IN SPITE OF ANY CONTRARY SIZES SHOWN IN THE ARCH. DRG.
4. DIMENSIONS ARE TO BE READ & NOT TO BE SCALED OFF.
5. THE SAFE BEARING CAPACITY OF SOIL HAS BEEN ASSUMED AS 1.0T/C² WHICH SHOULD BE ENSURED AT SITE.
6. THE CURE STRENGTH OF CONC. CURED AT SITE AFTER 28 DAYS SHALL NOT BE LESS THAN 2250 LBS/IN² (MIN)
7. JAMBS OF ALL WALLS TO BE BUILT IN C.M 1:4.












KEY PLAN



<i>[Signature]</i> E.F.I.	S.E.I.	
<i>[Signature]</i> A.E.D.	DRAFTSMAN	
DETAIL OF FOUNDATION	DRG. NO. 01	
CONVENIENT SHOPS CLUSTER, MODERN RESIDENTIAL COMPLEX MANIMAJR (U.T.)		
JOB NO 81	DATE.	SCALE

DETAIL OF SLAB BARS

A	8	MM	Φ	@	18"	1/6
B	8	MM	Φ	@	18"	1/6
C	8	MM	Φ	@	15"	1/6
D	8	MM	Φ	@	15"	1/6
E	10	MM	Φ	@	15"	1/6
F	8	MM	Φ	@	14"	1/6
G	8	MM	Φ	@	14"	1/6
H	10	MM	Φ	@	15"	1/6
I	10	MM	Φ	@	12"	1/6
J	8	MM	Φ	@	12"	1/6
K	8	MM	Φ	@	16"	1/6
L	8	MM	Φ	@	16"	1/6
M	10	MM	Φ	@	16"	1/6
N	8	MM	Φ	@	18"	1/6
O	8	MM	Φ	@	18"	1/6
P	8	MM	Φ	@	18"	1/6
Q	8	MM	Φ	@	18"	1/6
R	8	MM	Φ	@	16"	1/6
S	8	MM	Φ	@	16"	1/6
T	10	MM	Φ	@	18"	1/6
U	10	MM	Φ	@	18"	1/6



NOTES		
1.	FOR CENTER LINE DIMENSIONS REFER TO ARCH. DRG. NO. JOB NO.	
2.	FOR OTHER NOTES AND REFERENCES REFER TO STR. DRG. NO. 01 JOB NO. 81.	
E-E-I	S.E-I	
A.E-D	D/MAN	
SLAB DETAIL WITH BEAMS	DRG. NO	02
CONVENIENT SHOPS CLUSTER, MODERN RESIDENTIAL COMPLEX MANIMAJRA (U.T.)		
JOB NO	DATE	SCALE
81	8-93	3/4" = 1'-0"
BARS 1 TO 7 = 12mm Φ		