

E GHANDIGARH HOUSING BOARD A CHANDIGARH ADMINISTRATION UNDERTAKING



8, Jan Marg, Sector 9D, Chandigarh Telephones:0172-2511122

No.HB/EE-III/2023/ 1049411

Dated: 11-07-2023

To

M/s Handa & Chopra, #75, Industrial Business Park-2, Chandigarh. 160002.

Subject:- Supplying & Placing of Furniture items for Crèche in Block-B of CHB, Office Building, Chandigarh.

Reference:-1. Your tender submitted on 29.05.2023, and Financial Bid opened on 26.06.2023.

- 2. This office letter of acceptance of your tender bearing No. HB/EE-III/2023/1040977 Dated 05.07.2023.
- 3. Performance Security/Bank Guarantee in shape of Demand Draft No. 034303 Dated 07.07.2023 amounting to Rs.16,200/- issued by AXIS Bank Ltd. Sector-17, Chandigarh.

Dear Sir,

This is in continuation to this office letter No. 1046771 dated 10.07.2023.

Your Item rate Tender for the above noted work is hereby accepted on behalf of the Chairman, Chandigarh Housing Board for a sum of Rs.3,22,828/- (Rupees Three Lac Twenty Two Thousand Eight Hundred & Twenty Eight Only) which is 8.99% below the Revised DNIT/Justified cost of Rs.3,54,719/- (Rupees Three Lac Fifty Four Thousand Seven Hundred & Nineteen Only) to carry out the said work on the terms and conditions laid in Bid/tender document of this work. The detail of Items is as under:

Sr. No.	NS	Description of Item	Qty		Unit	Rate	Amount
1	NS	Supplying & placing Round Ottoman:-				_	
		Drift 44.5(w)X44.5(D) X 57.5(H) Drift's flat top and round edge supports unlimited freedom of movement. • Castors attached to its wooden base allows it to be moved around at will and with ease. Comes in vibrant colours that pop life into every space it's in	14.00	Nos.	Each	5535.00	77490.00
2	NS	Supplying & placing round table:-					
		Pie Table VC WIDTH (W) - 1433, DEPTH(D) - 765,HEIGHT(H) - 580. WORKTOP - Worktop is made from 18mm thick Pre-laminated twin board (E1/P2GRADE) with 1.3mm thick PVC lipping on all sides. Worktop corners are rounded for safe usage. LEG ASSEMBLY - Pie Activity table, as per the size option provided. Dia 31.75mm x 1.2mm thick MS ERW Round tube (IS:7138) and Dia 38.1 x 1.6mm thick round tube (IS:7138) is used as Inner Tube and Outer tube for Leg assembly respectively. 3mm thick HR (IS:2062) plate is welded to the outer tube. Understructure: Understructure frame of Pie	2.00	Nos.	Each	8235.00	16470.00

₹						
		Activity Table is made from MS ERW Tubes 40 x20 x1.2 mm thick. These tubes are Argo Welded with the Cylindrical socket and Socket plate made from dia 50*5.5 thick MS Seamless tube and 3mm thick HR (IS:2062) plate respectively. Cylindrical Socket and Socket plate are used to fix the leg assembly and the worktop. Understructure frame is coated with min. 45 micron thickness of epoxy polyester coating. Out of four leg assemblies, two legs closer to the user have levelers and other two have castors fixed for ease of mobility of the table. Both castors and levelers can be adjusted approx upto 8-10mm to take care of the unevenness of the floor. Plastic Caps made of clear polycarbonate and delrin are provided on the leg assembly for better functionality which also adds				
	NS	aesthetic value to the product. Supplying & placing Slider:-				
		FIRST SLIDE: Perfect Park Garden slide, especially for younger kids. When babies are sliding, it will promote their tactile sensing; practice their coordination ability; improve their balanced capacity. It is a valuable gift to your babies as their first slide. Product Size L153x B86 xH103cm SAFE & DURABLE: Made of durable and non-toxic PE material which is secure for babies to slide. With large capacity of upto 45 KG, it lasts long to accompany babies to grow older. Multi-color design better attracts babies to play itinitiatively. SMOOTHSLIDE: Gentles lope and easy-to-climb steps offer babies a smooth slide. The whole slider is connected smoothly without edges for babies tender skin. EASY TOFOLD: Fold it down without tools for compact storage. Make it lean on walls, stand, etc. it will keep stable. This kid's slide is the ideal first slide for your child. It folds and unfolds in seconds and can be used indoors or out! Promotes fitness, balance and coordination SENSORY DEVELOPMENT OF KIDS: 1) Enhance physical and balancing skills 2) Develops eye hand coordination of your little ones 3) Perfect beginner's slide, especially for juniors. 4) When babies are sliding, it will promote	1.00 N	os. Each	7500.00	7500.00
	NS	their tactile sensing and coordination ability. Supplying & placing Shoe Rack:- (withdrawn)				
<u> </u>	3	I		1	1	M 32 1991

×

.

	Meraki Shoe Cabinet BavBch OverallSize: Width:80cm Depth:39.6cm Height:46.7cm METAL MATERIALS: (gauge+/-	0	Nos.	Each	0.00	0.00
	0.1mm)Material: SCREW WOODEN: DOWEL. DECORATION MATERIALS: (DENSITY/TYPE):			3	i	
- I	Material (PVC/PU): pvc, pu MELAMINE, PVC, Color: WALNUT					
5 NS	Supplying & placing Burrow Cubby:-					
	Burrow cubby16FW	2.00	Nos.	Each	23494.00	46988.00
	All side panels, top/bottom panels, and shelf panels are made from 18					
	mm thick pre-laminated board of					
	E1-P2 grade and approved shade confirming to IS 12823:1990 with		ļ			
	2mm thick PVC edge lipping.					
	Back pannel is made from 9mm		3			
	thick pre-laminated board with 0.8mm thick PVC edge lipping.					
	Metal Frame: The Metal Frame is				1	
1	fabricated by Argo Shield welding					
	of MSERW Tube 40 mmx20 x1.2 mm thick (IS:7138) along with					
	3mm thick (IS.7136) along with					
	plate on both sides of the frame.					
	Dia2 8 MS Baris used as a bush for supporting the levelers at the					
	bottom of the frame. M10 leveler					
	molded with Nylon-6 along with a					
	circular powder coated aluminium extrusion is used for height					
	adjustment upto20 mm. Name Tag					
	made out of Clear Polycarbonate is			.s		
	provided with 200 GSM paper. All pilot holes given for fixing					
	accessories are covered with				10	
	matching color cover cap sticker.					
	AllSKU's have fixed shelves with 350 mm clear space. Shelves:					
	Burrow Cubby 3x2 has 4 shelves.					
tá	Burrow Cubby 3x4 has 8 shelves.					
	Burrow Cubby 4x2 has 6 shelves. Burrow Cubby 4x4 has 12 shelves.					
	Uniformly distributed load capacity					
-606	per each shelf is 24 kg.				-	
6 NS	Supplying & placing Interio Aim desk:-					
	WIDTH(W1)-473,DEPTH(D1)-					SORE WAS SURROWN AND
	474,DEPTH(D2) -334,HEIGHT(H1)	22				
	-722,SEAT HEIGHT(H2) - 351.SeatBack-Seat back is made of	4.00	Nos.	Each	7465.00	29860.00
	Blow molded High-density	4.00	1105.	Lacii	7405.00	25000.00
	polyethylene and is fixed on the					
	under structure assembly with the help of Stainless steel pop rivets.					
	Seat-Seat is made of blow molded					
	High-density polyethylene and is					
	fixed on the under structure assembly.					
	Understructure - All side metal					
	frames and cross connectors are					
	made from Mild steel ERW Oblong					
	tubes, 40 x 20 x 1.6 mm thick as per IS:7138 which are welded					
	together. The Welded structures					
	and cross connectors are coated with min 45 micron thickness of					
	epoxy polyester coating. Seat					•
	support channel made of 1mm]		
	thick Mild steel sheet					20-
		<u></u>				20-

<u> </u>							
		under structure for fixing seat.			300540394		
		Plastic Caps and shoe-The under					
		structure is provided with fixed					
		caps on front side & shoes with adjustable levelers on rear side	8				
		that is fixed with the help of	69			İ	
		stainless steel pop rivets. The caps					
		and shoes are injection molded in					
		co-polymer Polypropylene. The				į Į	
		levelers are injection molded in	2018		1		
		Nylon providing adjustability from					
		5mm to 10mm.					
7	NS	Supplying & placing APO Bed					-
8		Wooden Single Bed	4.00	Nos.	Each	25000.00	100000.00
		Overall size: Width970mm Depth-			1		
		2046mm Height-901mm Material					
		Bed Structure consist of metal				Ì	
		frames made of M.S. Channels in 1mm Thickness. Horizontal plinths					
		and bottom plinth are made of					
		25mm Thick Pre-laminated Particle					
		Board IS:12823 Class EI(as per					
		EN13986). Head board is made of					
		18mm thick Pre-laminated Particle					
		board IS:12823 Class EI(as per					
Ī		ENI3986) with all the exposed					
8		edges are edge banded with					
		0.8mm thick PVC edge banding				1	
		glued with Hot Melt EVA glue. Tailboard is made of 18mm thick					
		Pre-laminated Particle board					
		IS:12823 Class EI					
		(as per EN13986). Side rail is					
		made of 18 mm thick Pre-					
		laminated Particle board 1S:12823					
		Class E1 (as per					
		EN13986). Mattress panels of Bed		!		i	
		are made of 18 mm thick Pre-					
		laminated Particle Board IS: 12823					
		Class E1 (as per EN13986) with all					
		the exposed edges are edge banded with 0.8 mm thick PVC			•		
		edge banding glued with Hot Melt				!	
		EVA glue. Hardware: The high				ļ	
		quality hardware are used.					
		Construction: Knock Down			63		
.8		construction. Packets: 2 packet.	ļ			l l	
		Finish:18 mm thick Pre-laminated	İ			Ţ	
		Particle Board 1S:12823 Class E1]	8
		(as per EN 13986) is in Imperial					
		Oak shade. Lipping shade is					
	NIC	299PMAKE REHAU	ļ				0 2 2 00
8	NS	Supplying & placing Mattresse:-	4.00	NI = =	F = -!-	0430.00	22720.00
		Forest Mat Thickness:-Mattress12.5	4.00	INOS.	Each	8430.00	33720.00
		The uniquely-shaped mattress is	1				
		equipped with a waterfall top and		1			
		devoid of tape edge on the top.			is	1	
ļ ļ		•The charcoal shade floral knitted			ľ		
[fabric is soft against your skin and]	É			
ŗ l		mixes well with the neutral shades	1				
		of your décor. • It provides					
		adequate body support and the	1				
		presence of 32D foam at the base					
		Inrovided the required current to	ı	Į.		1	
		provides the required support to			į.		
		your spine while in a reclining					
	NS						

		•	Ť		
Pillow and Bed sheet Measurements:- Pillow width 69.0 Depth43.0 Quilted pillow with micro peach finish, made to transport out of world of luxurious and, Rejuvenating sleep. Bed Sheet Color: as per department choice after placed purchase order [Pattern: simple Fabric: Cotton] Thread Count: NA Package Contents: 1 Singh Bed sheet with 1 Pillow Covers Package Contents: 1 Bed sheet (60" X 90") 1 Pillow Covers (17"X27") Material: 100%Premium Cotton That Feels Like Silk Thread Count: 300 Thread Count Ensures Luxury And Durability This Stripes Set Gives Bedroom An Elegant And A Classy Touch Wash Care: Easy Machine Wash not use strong Detergent [not Bleach] not Tumble Dry [not soak for longtime Dry In Shade	4.00	Nos.	Each	2700.00	10800.00
					322828.00

- 2. You will have to execute agreement with the undersigned. You are requested to attend this office with Non-judicial stamp paper worth of Rs.100/-only & attested copy of General Power of Attorney/Partnership deed, if any, for signing the contract agreement, within 10 days from the date of issue of this letter.
- 3. You are also advised to take the license under Sub Clause-12 of contract labour (regulation & abolition) Act-1970 from Assistant Labour Commissioner of the area before commencement of the work.
- 4. You are requested to start work immediately and contact the SDE-V, CHB for further instructions. Please note that the time allowed for carrying out the work is 02 (Two months) as entered in the tender document which shall be reckoned from 12.07.2023 as the official date of commencement of this contract.

As per provision of the contract the performance guarantee Rs.16,200/-(Rupees Sixteen Thousand & Two Hundred Only) has already been deposited by you, in this office.

Further this allotment shall be governed by the following

1. Any error/omission in this letter will be dealt as per the tender submitted on 29.05.2023, financial bid opened on 26.06.2023 and as per approved document.

Executive Engineer-III, Chandigarh Housing Board, Chandigarh

Endst No. | 049411 Dated:- 11-07-2023

A copy is forwarded to the SE-I, CHB, Chandigarh for kind information please. This is with reference to approval of the tender case received vide SE-I, CHB No.316185 dated 05.07.2023.

Executive Engineer-III, Chandigarh Housing Board, Chandigarh Endst No. 10 49411

Dated: 11-07 /2023

A copy is forwarded to the SDE-V, CHB, along with copy of Tender Document for information and further necessary action. SDE-V, CHB should ensure that the work should be executed as per the provision made in the Tender Document. No extra items/substituted item shall be executed without prior approval from the competent authority and items to be executed strictly as per the Technical Sanction Estimate. Any deviation of item to be executed at site should have prior approval from the competent authority. Please ensure that the expenditure does not exceed the estimated amount and no deviation is made.

Executive Engineer-III, Chandigarh Housing Board, Chandigarh

Endst No. 1049411

action:-

Dated: - 11-07 - 2023

A Copy is forwarded to the CAO, CHB, for information and necessary

Executive Engineer-III, Chandigarh Housing Board, Chandigarh

Endst No. 1049411

Dated:- 11-07-2023

A Copy is forwarded to the AO-III/HDM-III, CHB, for information and necessary action:-

Executive Engineer-III, Chandigarh Housing Board, Chandigarh

Endst No. 1049411

Dated:-11-07 - 2023

A Copy is forwarded to the Computer Incharge, CHB, for uploading this allotment letter on CHB website.

Executive Engineer-III, Chandigarh Housing Board, Chandigarh

Endst No. 1049411

Dated:- 11-07-2023

A Copy is forwarded to the following for information please.

- 1. The Chief Commissioner of Income Tax, Sector-17, Chandigarh.
- 2. The Excise & Taxation Commissioner, Sector-17, Chandigarh.
- 3. The Assistant Labour Commissioner, Labour Welfare Centre Building, Sector-30B, Chandigarh.

Executive Engineer-III, Chandigarh Housing Board, Chandigarh