

**CHANDIGARH HOUSING BOARD**  
**8, JAN MARG, SECTOR 9-D, CHD**

**SHORT QUOTATION NOTICE**

Short quotations are hereby invited by the undersigned for under mention work from the contractor/manufacturers/OEMs/specialized job agencies of Chandigarh Housing Board, Chandigarh so as to reach in this office on **11-09-2023 at 3.00 PM**. These shall be opened at the same time in the presence to the firms/contractors or their representatives who may like to be present at that time:-

**App. Amount Rs.12475/-**

**Name of work:** MAINTENANCE OF RESIDENTIAL AND NON-RESIDENTIAL BUILDINGS OF CHB, CHANDIGARH DETAILED ESTIMATE FOR FOR ADDITION AND ALTERATION IN RENTAL HOUSES OF CHANDIGARH HOUSING BOARD, CHANDIGARH. (HOUSE NO. 2169 SECTOR 27-C, CHANDIGARH)

| Sr.No | Description              |
|-------|--------------------------|
|       | As per schedule attached |

**Conditions:**

1. The work shall have to be completed according to CPWD specifications.
2. The undersigned reserved the right to accept or reject any or all the quotations without assigning any reasons.
3. Conditional quotations are not acceptable.
4. The Qty can be increased or decreased as desired by the Engineer-in-charge.
5. All disputes concerning in any way with the quotations will be subject to the Chandigarh jurisdiction.

  
Sub. Divisional Engineer,  
Elect.Sub Division No.III  
CHB, Chandigarh.

Dated: 04/09/2023

Endst.No: 1143596(Ci-vi)

Copy is forwarded to the following for information and wises publicity:

1. Notice Board,CHB.
2. The Executive Engineer-V (Elect.) CHB, Chandigarh.
- 3.The computer- in- charge,CHB along with a copy of SCN and schedule to be uploaded on CHB website.
- 4 M/s Arjun Electrical.
- 5 M/s Superior Enterprises
- 6.M/s Thakar electrical

  
sub Divisional Engineer,  
Elect Sub Division No.III  
CHB, Chandigarh

Schedule

DETAIL ESTIMATE FOR ADDITION AND ALTERATION IN RENTAL HOUSES OF CHANDIGARH  
HOUSING BOARD, CHANDIGARH. (HOUSE NO. 2169 SECTOR 27-C, CHANDIGARH)

| S.No. | DSR No. | Description   | Qty | Unit  | Rate    | Rate to be quoted by agency |
|-------|---------|---|-----|-------|---------|-----------------------------|
| 1     | 1.2     | Wiring for twin control light point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, 2 way piano type switch, phenolic laminated sheet, suitable size MS box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required.               | 2   | Point | 1231.2  |                             |
| 2     | 1.3     | Wiring for light point/ fan point/ exhaust fan point/ call bell point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable in surface / recessed steel conduit, with modular switch, modular plate, suitable GI box and earthing the point with 1.5 sq.mm FRLS PVC insulated copper conductor single core cable etc. as required. |     |       |         |                             |
|       | 1.3.3   | Group C   | 3   | Point | 1215.97 |                             |
| 3     | 1.14    | Wiring for circuit/ submain wiring alongwith earth wire with the following sizes of FRLS PVC insulated copper conductor, single core cable in surface/ recessed medium class PVC conduit as required.   |     |       |         |                             |

|   |        |  |    |       |        |  |
|---|--------|--|----|-------|--------|--|
|   | 1.14.2 | 2 X 2.5 sq. mm + 1 X 2.5 sq. mm earth wire   | 22 | Metre | 169.51 |  |
| 4 | 1.31   | Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 3 pin 5/6 A modular socket outlet and 5/6 A modular switch, connections etc. as required.  | 1  | Each  | 407.02 |  |
| 5 | 1.32   | Supplying and fixing suitable size GI box with modular plate and cover in front on surface or in recess, including providing and fixing 6 pin 5/6 & 15/16 A modular socket outlet and 15/16 A modular switch, connections etc. as required.  | 1  | Each  | 502.43 |  |
| 6 | 2.1    | Supplying and fixing 5 A to 32 A rating, 240/415 V, 10 kA, "C" curve, miniature circuit breaker suitable for inductive load of following poles in the existing MOB DB complete with connections, testing and commissioning etc. as required.   |    |       |        |  |
|   | 2.10.1 | Single pole  | 1  | Each  | 201.99 |  |
| 7 | NS     | S/E of Exhaust Fan Heavy duty of 12" sweep (300mm), 900rpm complete with motor blades and louvers to be installed on the existing hole in wall/glazing with suitable arrangement. The rates includes all the labour, carriage to site, testing and commissioning of the exhaust fan. | 1  | Each  | 1525   |  |



Sub Divisional Engineer  
 Electrical Sub Division No. III  
 Chandigarh Housing Board  
 Chandigarh